

Ronco Item No : **69-580-XX (07, 08, 09, 10, 11)**

Brand Name :

PRIMACUT 69-580



Description :

PU PALM COATED CUT RESISTANT GLOVE - CUT LEVEL 5
 HPPE (High Performance Polyethylene) Liner
 With Thumb Index Reinforcement
 Breathable PU (Polyurethane) Black Palm Coating



TIR™

Mechanical Ratings : CE EN388 - 4543 (abrasion, cut, tear, puncture)
 ANSI: ☒ Cut 4, Puncture 4

Specifications :

Ronco Item#	69-580-07	69-580-08	69-580-09	69-580-10	69-580-11
Sizing	7 / S	8 / M	9 / L	10 / XL	11 / XXL
Width: +/- 5 mm	85	95	97	100	105
Length: +/- 5 mm	230 mm	240mm	250mm	260mm	270mm
Overlock Serging Colour	Green	Grey	Yellow	Brown	Blue

Packaging :

6 pairs x 8 bags = 48 pairs per case

Applications :

PrimaCut 69-580 is a heavy duty cut resistant glove designed for jobs entailing high cut and scrape hazards. Its PU coating provides hand precision maneuvering as its grip is comparable to that of the natural hand. It is also abrasion resistant and breathable. The glove comes equipped with cut resistant Thumb Index Reinforcement for extra protection and durability. Applications include:

- Sheet metal fabrication and handling
- Steel manufacturing
- Durable goods and white line appliance assembly
- Wire cable handling
- Freight handling
- Construction carpentry and general handling of sharp objects



Product Features :

- Excellent heavy duty cut resistance level (EN 388 cut level 5)
- Seamless, flexible and soft cut resistant liner for a more comfortable and cool feel
- Cut resistant Thumb Index Reinforcement for extra protection and durability
- PU palm and finger coating for excellent dexterity and breathability
- Elasticized knit wrist with different serging colour for easy size identification
- Machine washable and re-usable for cost-efficiency

Storage & Handling :

Store at room temperature under roof away from direct sunlight and moisture. Machine wash in cool or warm water. Tumble dry at the lowest temperature setting or hang to dry.

Special Notes :

While this product is cut resistant, it is not cut proof. Its use is not recommended with moving or serrated blades.

Although reasonable care has been taken in the preparation of this document, no warranties are extended and no liability is assumed. The information is solely provided as a general guideline for product use and care. It is up to end-users to make their own determination as to the suitability of the product for their own intended purposes.