



Product Data Sheet

Film Type

Disp AEP 1000'

Description:

Disp AEP is a blown stretch film made with a combination of PVC resin and plasticizers. This film is a super stretch film designed for use with all types of cutterbox and hand wrapping equipment.

Typical Applications:

Food Film Overwrap

Structure:

Monolayer



PVC

Typical Values:

Property	ASTM Method	Units		Values
Gloss 45°	D-2457	Inside	Percent	95
	D-2457	Outside	Percent	95
Haze	D-1003	Percent		0.5
Light Transmittance	D-1003	Percent		N/A
COF	D-1894	Inside		High
	D-1894	Outside		High
Tensile, Ultimate MD	D-882	psi		4,800
Tensile, Ultimate TD	D-882	psi		4,100
Elongation Ultimate MD	D-882	Percent		160
Elongation Ultimate TD	D-882	Percent		200
1% Secant Modulus MD	D-882	psi		16300
1% Secant Modulus TD	D-882	psi		14000
MVTR	F-1249	g/m ² /day @ 37.8C/100%rh		Not Tested
OTR	D-3985	cc/100sq in/day @ 23C/0%rh		750
Dart Impact	D-1709	Grams		225
Slow Puncture	D-3763	gf		100
Elmendorf Tear MT/TD	D-1922	Grams		<40

The information presented on this data sheet has been established by company based laboratory testing. This information does not imply warranty by the company product specifications, tolerances, or functionality in the end use.

Berry Plastics
 101 Oakley Street
 Evansville, IN 47710
PVC CSR: 866-332-4038
 Mar-22